

512G SERIES

512G - 36
Mfg. No. 1692055
Mfg. No. 1692096

36" Mower
Mfg. No. 1691420




PARTS MANUAL


DEUTZ-ALLIS®
LAWN & GARDEN EQUIPMENT

Table of Contents

FRAME GROUP	2
Frame, Wrapper; Draw Bar; Footrest; Supports; Lift Handle; PTO Assy.; Up-Stops; Latch Assy.	
FRONT AXLE GROUP	4
Brake Lever Assy.; Support Assy.; Axle Assy.; Spindles; Tie Rod; Grease Fittings	
STEERING & FRONT WHEEL GROUP	6
Steering Plate; Steering Wheel; Ball Joint Assy.; Drag Link Assy.; Wheel & Tire Assy.; Hub Caps	
ENGINE GROUP	8
Choke Control; Engine; Engine Pulley Assy.; Muffler Extension Assy.; Oil Drain Pipe	
REAR TIRES & DRIVE GROUP (1692055 only)	10
Transmission Support; "V" Belt; Shift Rod; Wheel & Tire Assy.	
REAR TIRES & DRIVE GROUP (1692096 only)	12
Transmission Support; "V" Belt; Shift Rod; Wheel & Tire Assy.	
BRAKE & CLUTCH	14
Clutch Arm Assy.; Idler Pulley; Springs & Guides; Brake Rod & Guide; Foot Pedal	
ELECTRICAL GROUP	16
Ignition Switch; Wiring Harness; Solenoid; Circuit Breaker; Battery, DSI Interlock Module	
HOOD, GRILLE & DASH GROUP	18
Dash Board, Fuel Tank & Hose, Grille, Hood & Side Panels	
SEAT & DECK GROUP	20
Seat; Springs; Hinges; Supports; Deck	
36" MOWER, DECK & ARBOR GROUP	22
Pulley Assy.; Shields; Bearings; Deflector; Shafts; Baffle	
36" CLUTCH & ROLLER SUPPORT GROUP	24
Brake Lever; Support & Rod Assy.; Quadrant Assy.	
36" ROLLER & MISC. GROUP	26
"V" Belt; Lift Chain; Control Lever; PTO Rod; Lift Rod; Clevis	
PEERLESS TRANSAXLE MODEL 801-019 (used on 1692055 tractor)	28
PEERLESS TRANSAXLE MODEL 930-039 (used on 1692096 tractor)	32
DECAL GROUP	36
TORQUE SPECIFICATIONS	Inside Back Cover




Ref. No.	Part No.	Qty.	Description
1	1654707	1	BRACE, Seat
2	1924856	6	SCREW, Taptite, 5/16-18 x 1/2
3	1702627	1	SUPPORT, Axle Wrapper
4	1655591	1	BAR, Draw
5	1921210	6	CAPSCREW, Hex, 3/8-16 x 1
6	1916965	9	LOCKWASHER, 3/8
7	1916950	10	NUT, Hex, 3/8-16
8	921965	3	CAPSCREW, Hex, 3/8-16 x 3/4
9	172038	2	KNOB, Handle
10	1685412	1	HANDLE, Lift
11	960171	1	WASHER
12	1703805	1	KLIPRING, 1/2
13	1701314	1	SPRING, Torsion
14	158399	2	RING, Retaining
15	1700670	1	BRACKET, Seat Latch
16	1673911	1	SPRING, Extension
17	1656754	1	BAR, Support
18	1656755	1	ARM, Support
19	1921959	3	CAPSCREW, Hex, 1/4-20 x 5/8
20	1654783	1	SUPPORT, Clutch
21	1701268	1	ROD, Latch
22	1916622	3	NUT, Hex, 1/4-20
23	1702452	1	HANDLE ASSY., PTO Clutch
24	1678388	2	CLIP
25	1679938	2	FOOTREST
26	1921332	14	CAPSCREW, Hex, 5/16-18 x 3/4
27	1917356	14	LOCKWASHER, 5/16
28	1917372	14	NUT, Hex, Full, 5/16-18 (Qty. 18 on 8 HP)
29	1664847	6	SCREW, Taptite, 5/16-18 x 3/4
30	1655076	2	BRACE, Axle Support
31	1664034	1	SUPPORT, Axle
32	1919381	1	WASHER, Plain, 11/32-1 x 10 Ga.
33	1665803	1	SUPPORT
34	1672118	1	STOP, Belt
35	1665812	1	STOP, Belt
36	1919326	2	WASHER, 11/32
37	1930595	1	CAPSCREW, Hex Flange Hd., 5/16-18 x 1-1/4
38	1656791	1	SUPPORT
39	1702626	1	FRAME
40	1925003	2	SCREW, Taptite, 1/4-20 x 1/2
41	1923325	2	CAPSCREW, Hex, 5/16-18 x 7/8
42	1927557	3	LOCKNUT, Hex, Flange Whiz, 5/16-18
43	1921319	1	WASHER
44	1704505	1	BUSHING



NOTE: Use standard hardware
torque spec. chart unless
otherwise noted.


Ref. No.	Part No.	Qty.	Description
1	1665864	1	LEVER ASSY., Brake
2	1664847	5	SCREW, Taptite, 5/16-18 x 3/4
3		1	SUPPORT ASSY., Axle, Rear (See Ref. No. 4)
4	1665601	1	SUPPORT ASSY., Rear (Incl. Ref. No. 5)
5	1663114	1	BUSHING
6	1611710	2	KLIPRING, Ext., 3/4
7	176440	4	BUSHING
8		1	AXLE SUB ASSY. (See Ref. No. 9)
9	1611708	1	AXLE ASSY., Front (Incl. Ref. Nos. 7 & 8)
10	921133	2	FITTING, Lube, Drive Type
11	1960114	2	WASHER
12	1611703	1	SPINDLE ASSY., R.H.
13	1930651	2	LOCKNUT, Hex, 3/8-16
14	1921525	1	CAPSCREW, Hex, 1/2-13 x 1-3/4 (Gr. 8)
15	1924361	2	WASHER
16	1671260	1	SPACER
17	1960362	1	LOCKNUT, Hex Flange Lock, 1/2-13
18	1611715	1	TIE ROD ASSY.
19	1705918	1	SPINDLE ASSY., L.H.
20	1960020	1	WASHER
21	1917372	1	NUT, Hex, 5/16-18
22	1924940	2	WASHER, 3/8
23	1919326	1	WASHER
24	1668147	1	GUIDE, Drag Link
25	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
26	1611705	2	SPACER
27	1921210	2	CAPSCREW, 3/8-16 x 1
28	1930245	1	LOCKNUT, Center, 1/2-20



NOTE: Use standard hardware torque spec. chart unless otherwise noted.


Ref. No.	Part No.	Qty.	Description
1	1921332	4	CAPSCREW, 5/16-18 x 3/4
2	1667513	1	TOP PLATE, Steering
3	1664090	1	TUBE (For Service Only)
4	1701266	1	SHAFT ASSY., Steering
5	176440	4	BUSHING
6	1667622	1	KEY
7	1928721	2	SETSCREW, 5/16-18 x 1/2
8	1675388	1	GEAR, Steering
9	1685432	1	LINK ASSY., Drag (Incl. Ref. Nos. 18, 28 & 29)
10	1652743	1	BASE PLATE, Steering
11	1935048	4	LOCKNUT, Flange, Whiz, 5/16-18
12	1674076	1	ROD, Steering
13	1668927	1	LOCKNUT, Center, 3/8-24
14	1657017	1	CAP, Steering Wheel
15	1673333	2	CAP, Hub, Threaded
16	1923362	1	LOCKNUT, Hex, 5/16-18
17	1670989	1	WHEEL, Steering
18	1919262	1	NUT, Jam, 1/2-20
19	1611710	2	KLIPRING, Ext., 3/4
20	960202	2	WASHER
21	1679713	4	BEARING, 1.38 O.D.
22	1705378	2	WHEEL & TIRE ASSY., 15 x 6.00-6 (Turf-Saver) (Includes Ref. Nos. 21, 23, 24, 25)
23	1705379	2	WHEEL, w/Bearings, 15 x 6.00
24	1653618	2	TIRE (Carlisle) 15 x 6.00-6 Turf-Saver
25	172353	2	STEM, Valve
26	1919326	2	WASHER, Plain, 5/16
27	1925690	1	BOLT, Hex, 5/16-18 x 3-1/2
28	1705437	1	BALL JOINT ASSY., 1/2-20 Thrd. Stud.
29		1	LINK, Drag (Not Serviced Separately. See Ref. No. 9)
30	1671737	1	BUSHING
31	1930245	1	LOCKNUT, Center, 1/2-20

NOTE: Simplicity Brand Pneumatic Tire Sealant can be used in place of tubes to stop rim leaks and fill small punctures. See inside front cover for part numbers of tubes and cases.




NOTE: Use standard hardware torque spec. chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
1		1	ENGINE, 12.5 HP
2	1656099	1	KNOB, Throttle
3	1707388	1	CONTROL ASSY., Throttle
4	960241	2	RIVET, Pop, 1/4
5	1924356	6	WASHER, Plain, 3/8
6	172844	2	STOP, Belt
7	1924940	2	WASHER, 13/32
8	1930598	3	SCREW, Taptite, 3/8-16 x 1-1/2
9	1674163	1	PULLEY ASSY., Engine
10	1918199	1	LOCKWASHER, 7/16
11	1928038	1	CAPSCREW, Hex, 7/16-20 x 1-1/4
12	1917372	3	NUT, Hex, 5/16-18 (Qty. 2 on 8 HP)
13	1917356	5	LOCKWASHER, 5/16 (Qty. 2 on 8 HP)
14	1655848	1	MUFFLER
15	1676183	1	CLAMP
16	1655860	1	PIPE, Exhaust
17	1650670	1	GASKET, Muffler
18	1921332	2	SCREW, Whizlock, 5/16-18 x 3/4
19	1667346	1	CAP, Pipe
20	1658032	1	PIPE, Oil Drain (Incl. Ref. Nos. 19 & 21)
21	1932849	1	LOCKNUT
22	1931342	1	BOLT, Carriage 5/16-18 x 2-3/4 Gr. 5
23	1919326	1	WASHER
24	960361	1	SCREW, Taptite, 3/8-16 x 2, Zinc Pltd.
25	920427	1	LOCKWASHER, Ext., 3/8, Zinc Pltd.
26	916950	1	NUT, Hex Jam Lock, 3/8-16, Zinc Pltd.




Ref. No.	Part No.	Qty.	Description
1	1666698	1	"V" BELT
2	1917372	3	NUT, Hex, 5/16-18
3	1917356	3	LOCKWASHER, 5/16
4	1666709	1	STOP, Belt
5	1919326	5	WASHER, 11/32
6	1921333	1	CAPSCREW, Hex, 5/16-18 x 1
7	1666693	1	PULLEY ASSY., Transmission
8	1930540	2	SETSCREW, 5/16-18 x 5/8
9	1928352	8	LOCKNUT, Hex, Flange, 3/8-16
10	1920415	1	CAPSCREW, Hex, 3/8-16 x 1-1/4
11	1916965	2	LOCKWASHER, 3/8
12	1921210	7	CAPSCREW, Hex 3/8-16 x 1
13	1666632	2	SUPPORT, Transmission, Rear
14	1921719	4	CAPSCREW, Hex, 5/16-18 x 2-1/4
15	1930651	1	LOCKNUT, Hex, 3/8-16
16	905123	1	KEY, Woodruff, #9
17	8221042	2	KEY, 3/16 x 3/16 x 1-1/2
18	1960114	2	WASHER, 15 Ga.
19	1667191	1	SPACER
20	1667192	1	SPACER
21	*	1	TRANSAXLE, 5 Speed, Peerless
22	1666631	1	SUPPORT, Transmission, Front
23	1920427	1	LOCKWASHER, Ext.
24	1919438	6	LOCKNUT, 5/16-18
25	1930601	4	SCREW, Taptite, 5/16-18 x 5/8
26	1666697	2	SPACER
27	1666641	1	ROD, Shift
28	8021050	1	KNOB, Ball, Shift
29	1922234	1	CAPSCREW, Hex, 1/4-28 x 5/8
30	1916964	1	LOCKWASHER, 1/4
31	1921319	1	WASHER, Plain, 9/32
32	1666638	1	LINK, Shift, Lower
33	1666639	1	SHIFT LINK ASSY., Upper
34	1677545	2	WHEEL & TIRE ASSY., 18 x 8.50-8 (Turf Saver tire)
35	1655916	2	TIRE (Carlisle) 18 x 8.50-8 (Turf Saver tire)
36	172353	2	VALVE STEM & CAP
37	1677546	2	WHEEL ASSY.
38	927794	2	E-RING
39	1960160	2	WASHER
40	1673333	2	CAP, Hub, Threaded
41	158499	2	BELT STOP
42	1921977	4	CAPSCREW, Hex, 5/16-18 x 1-1/4

* Order Peerless parts from your authorized Tecumseh Distributor. See pages 28 thru 31 for Service Parts.




Ref. No.	Part No.	Qty.	Description
1	1708114	1	"V" BELT
2	1917372	3	NUT, Hex, 5/16-18
3	1917356	3	LOCKWASHER, 5/16
4	1666709	1	STOP, Belt
5	1919326	3	WASHER, 11/32
6	1921333	1	CAPSCREW, Hex, 5/16-18 x 1
7	1666693	1	PULLEY ASSY., Transmission
8	1930540	2	SETSCREW, 5/16-18 x 5/8
9	1928352	8	LOCKNUT, Hex, Flange, 3/8-16
10	1920415	1	CAPSCREW, Hex, 3/8-16 x 1-1/4
11	1916965	5	LOCKWASHER, 3/8
12	1921210	9	CAPSCREW, Hex 3/8-16 x 1
13	1666632	2	SUPPORT, Transmission, Rear
14	1921719	4	CAPSCREW, Hex, 5/16-18 x 2-1/4
15	1930651	1	LOCKNUT, Hex, 3/8-16
16	905123	1	KEY, Woodruff, #9
17	8221042	2	KEY, 3/16 x 3/16 x 1-1/2
18	1960027	4	WASHER, Rev. Pinion
19	1921977	3	CAPSCREW, Hex, 5/16-18 x 1-1/4
20	1663180	1	SPACER
21	*	1	TRANSAXLE, 5 Speed, Peerless
22	1666631	1	SUPPORT, Transmission, Front
23	1920427	1	LOCKWASHER, Ext.
24	1919438	4	LOCKNUT, 5/16-18
25	1930601	2	SCREW, Taptite, 5/16-18 x 5/8
26	1705590	1	SPACER, Special
27	1708408	1	ROD, Shift
28	8021050	1	KNOB, Ball, Shift
29	1922234	1	CAPSCREW, Hex, 1/4-28 x 5/8
30	1916964	1	LOCKWASHER, 1/4
31	1921319	1	WASHER, Plain, 9/32
32	1666638	1	LINK, Shift, Lower
33	1708022	1	SHIFT LINK ASSY., Upper
34	1677545	2	WHEEL & TIRE ASSY., 18 x 8.50-8 (Turf Saver tire)
35	1655916	2	TIRE (Carlisle) 18 x 8.50-8 (Turf Saver tire)
36	172353	2	VALVE STEM & CAP
37	1677546	2	WHEEL ASSY.
38	927794	2	E-RING
39	1960160	4	WASHER
40	1673333	2	CAP, Hub, Threaded
41	158499	2	BELT STOP
42	1918196	1	PIN, Quick
43	1918447	1	PIN, Cotter
44	1935048	1	NUT, Hex Flange Hd., 5/16-18
45	1705463	1	BRACKET, Pulley
46	1708029	1	PULLEY, Idler, "V"
47	1708221	1	BELT STOP
48	1676375	1	SPACER
49	1922755	3	WASHER
50	1921973	1	CAPSCREW, 3/8-16 X 2-3/4
51	1916950	3	NUT, Hex, 3/8-16
52	1924940	1	WASHER, 13/32

* Order Peerless parts from your authorized Tecumseh Distributor. See pages 32 thru 35 for Service Parts.



NOTE: Use standard hardware torque spec. chart unless otherwise noted.


Ref. No.	Part No.	Qty.	Description
1	1918213	1	NUT, Hex, 7/16-14
2	1918199	1	LOCKWASHER, 7/16
3	157273	1	STUD
4	1918447	3	PIN, Cotter (Qty. 2 used on 1692096)
5	1919326	3	WASHER, 11/32
6	1921969	1	CAPSCREW, 3/8-16 x 1-1/2
7	1653076	1	IDLER ASSY.
8	1924940	1	WASHER, Plain, 5/16
9	1666294	1	SPACER
10	1685150	1	PULLEY ASSY.
11	1677135	1	GUARD, Spring
12	1916965	1	LOCKWASHER, 3/8
13	1916950	1	NUT, Hex, 3/8-16
14	1924058	1	LOCKNUT, Hex, 7/16-14
15	159106	1	SPRING, Tension
16	1666656	1	ROD, Brake
17	1663138	1	GUIDE, Rod
18	1923362	1	LOCKNUT, Hex (Used on 1692055 only)
19	1666759	1	SPRING, Return
20	1935048	1	LOCKNUT, Hex, Flange, 5/16-18
21	1663136	1	SPRING, (Used on 1692055 only)
	1708226	1	SPRING, (Used on 1692096 only)
22	1919438	2	LOCKNUT, 5/16-18
23	1657222	1	GUIDE ASSY., Rod
24	157041	1	SPRING, Compression
25	8191022	1	COLLAR, Set
26	1928804	1	SETSCREW, 1/4-20 x 3/8
27	1702156	1	ROD, Clutch
28	1659907	1	DAMPER, Rubber
29	1656852	1	PEDAL, Foot
30	1656854	1	PLATE, End
31	1927429	2	SCREW, Taptite, 1/4-20 x 5/8
32	1922755	1	WASHER, Plain
33	1708228	1	SPACER, (Used on 1692096 only)




Ref. No.	Part No.	Qty.	Description
1	1669831	1	HOLD DOWN, Battery
2	1921319	2	WASHER, 9/32
3	1700472	2	ROD, Battery Hold Down
4	122184	1	SWITCH, Headlight
5	1603618	1	CABLE, Ground
6	1704349	2	NUT, Retainer, 1/4-20
7	1929477	4	SCREW, Taptite, #10-24 x 1/2
8	1701580	2	SWITCH, PTO and Neutral
9	* 1707757	1	HARNESS, Wiring (6-pin connector)
	** 1685464	1	HARNESS, Wiring (6-pin connector with adapter kit)
10	932747	1	TIE, Self-Locking
11	1704581	1	VENT CAP, Battery
12	1704583	1	HOSE, Drain
13	1703484	1	CABLE, Ground
14	1927428	6	SCREW, Taptite, 1/4-20 x 3/8
15	165073	1	CLIP, Wire
16	122023	1	COVER, Terminal
17	1701522	1	CABLE
18	1917356	2	LOCKWASHER, 5/16
19	1920263	2	NUT, Hex, 5/16-24
20	1665237	1	WIRE ASSY.
21	1665238	1	CIRCUIT BREAKER
22	927429	2	SCREW, Taptite, 1/4-20 x 5/8, Zinc Pltd.
23	1685290	1	SOLENOID
24	* 1707755	1	MODULE, DSI Interlock, Seat Switch (6-pin connector)
	** 1685466	1	MODULE, DSI Interlock, Seat Switch (6-pin connector with adapter kit)
25	1916622	2	NUT, Hex, 1/4-20
26	1916964	2	LOCKWASHER, 1/4
27	1685215	1	BATTERY, 39 Amp.
28	1923341	2	CAPSCREW, Hex Hd., 1/4-20 x 3/4
29	1921319	2	WASHER, 1/4 I.D.
30	1677296	1	BOOT, Insulator
31	1679006	1	SWITCH
32	918906	1	LOCKWASHER, Internal, 5/8
33	122234	1	ADAPTOR, Nut
34	122203	1	KEYS
35	1674244	1	SWITCH, Ignition (Incl. Ref. Nos. 31, 32, 33 & 34)
36	1701555	1	QUADRANT, Shift

*Used on Mfg. No. 1602096 after Serial No. 1095.

**Used on all Mfg. No. 1692055 and Mfg. No. 1602096 before Serial No. 1096.




Ref. No.	Part No.	Qty.	Description
1	171252	1	CAP, w/Gas Gauge
2	1672630	1	DASHBOARD, Top
3	1921961	2	CAPSCREW, Hex, 1/4-20 x 1-1/4
4	1921319	2	WASHER, 1/4
5	1672123	2	EDGING, Lower Dash
6	1676860	2	SCREW, Hex Washer Hd., 1/4-14 x 5/8
7	1664897	1	WASHER, Foam
8		1	FUEL TANK (See Ref. No. 11)
9	1654930	1	BUSHING
10	1666447	1	FITTING
11	1685297	1	TANK ASSY., Fuel (Ref. No. 11 incl. Ref. Nos. 8, 9, 10, 19 Qty. 1 & 20)
12	173335	2	PAD
13	1665301	1	BRACE
14	1707393	1	DASHBOARD, Bottom
15	925592	2	SCREW, Taptite, 1/4-20 x 3/4
16	1929783	4	SCREW, Taptite, 1/4-20 x 1
17	1931704	6	LOCKWASHER, Dish, 1/4
18	1923358	2	LOCKNUT, Hex, 1/4-20
19	1960112	4	CLAMP, Hose
20	1676861	1	HOSE, Fuel, 45" long (Cut to length needed - See notes on page 28)
21	173206	1	FILTER, Fuel
22	1960106	6	SCREW, Plastite, 1/4 x 1
23	1960034	6	SCREW, Plastite, #10-14 x 1/2
24	1656793	1	SCREEN
25	1685241	1	GRILLE (Incl. Ref. No. 22)
26	1656792	2	BOLT, Shoulder, 5/16-18 x 7/8
27	1935048	2	LOCKNUT, Flange, Whiz, 5/16-18
28	71656787	1	PANEL ASSY., L.H.
29	71656786	1	PANEL ASSY., R.H.
30	1921958	4	CAPSCREW, Hex, 1/4-20 x 1/2
31	1916964	4	LOCKWASHER, 1/4
32	1916622	4	NUT, Hex, 1/4-20
33	71656774	1	HOOD
34	1667248	4	CLIP, Canoe




NOTE: Use standard hardware torque spec. chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
1	1700618	1	SEAT
2	1919326	6	WASHER, Plain, 5/16
3	1921332	14	CAPSCREW, Hex, 5/16-18 x 3/4
4	71702690	1	DECK, Seat
5	1666691	2	COVER, Wire
6	1701742	2	BUMPER, Plug
7	1701736	1	SUPPORT, Seat, R.H.
8	1919438	2	LOCKNUT, Hex, 5/16-18
9	1666690	2	SPRING, Seat
10	1701737	1	SUPPORT, Seat, L.H.
11	1927557	8	NUT, Hex, Flange Whizlock, 5/17-18
12	1930651	4	LOCKNUT, Hex, 3/8-16
13	1928729	2	SCREW, Hex, Taptite, 5/16-18 x 3/8
14	1668839	1	PANEL, Shift
15	1701560	2	HINGE, Lower
16	1701559	2	HINGE, Upper
17	1923701	2	CAPSCREW, Hex, 3/8-16 x 2
18	1917372	2	NUT, Hex, Full, 5/16-18
19	1703373	1	SWITCH, Seat
20	1701229	1	BUSHING, Snap
21	930222	2	CLIP
22	1921880	2	LOCKWASHER, 1/4 Ext. Tooth
23	1960357	2	SCREW, Rd. Hd., 1/4-20 x 3/4
24	1701252	2	SEAT LATCH ASSY.
25	1931333	2	BOLT, Carriage, 5/16-18 x 3/4
26	1917356	2	LOCKWASHER, 5/16



NOTE: Use standard hardware torque spec. chart unless otherwise noted.


Ref. No.	Part No.	Qty.	Description
1	1930585	2	CAPSCREW, Hex Hd., 7/16-14 x 3-1/2
2	1918199	2	LOCKWASHER, 7/16
3	1933263	2	WASHER, 29/64 x1-1/4 x 1/4
4	1673109	1	PULLEY ASSY.
5	1657969	2	SHIELD, Bearing, Upper
6	1655729	2	ARBOR HOUSING, Top
7	108202	4	BEARING
8	1685245	2	SHAFT, Arbor (Incl. Ref. No. 20)
9	1685251	2	SHAFT & BEARING ASSY. (Incl. Ref. Nos. 7 (Qty. 2), 8, 20 & 43)
10	1703273	2	ARBOR HOUSING ASSY., Bottom (Incl. Ref. No. 12)
11	1931277	9	NUT, Hex, Flange Whizlock, 5/16-18
12	1704314	2	GREASE FITTING
13	71685102	1	HOUSING, 36" (Incl. Safety Decals)
14	1657660	1	STOP, Belt
15	1919326	2	WASHER, 11/32
16	71702190	1	DEFLECTOR
17	1931211	2	NUT, Hex, Flange Whizlock, 3/8-16
18	1924940	2	WASHER, 13/32
19	1931348	2	BOLT, Carriage, 3/8-16 x 3/4
20	1672132	2	COLLAR, Arbor
21	1700230	2	WASHER, Shim
22	1700229	2	SHIELD, Grass
23	1655777	2	ADAPTOR, Blade
24	1930584	1	CAPSCREW, Hex Hd., 7/16-14 x 2-3/4
25	1657589	2	BLADE, 36"
26	1656927	2	WASHER, Spline
27	1656916	2	WASHER, Cup
28	1923491	2	CAPSCREW, Hex Hd., 7/16-14 x 1
29	1960373	12	SCREW, Hex, Wash. Hd., Taptite, 5/16-18 x 1
30	1931333	4	BOLT, Carriage, 5/16-18 x 3/4
31	1603205	1	SHAFT, Roller, Center
32	927793	1	E-RING
33	1671577	1	BAFFLE
34	1921332	2	CAPSCREW, Hex Hd., 5/16-18 x 3/4
35	1668500	1	BRACKET, Mower
36	1705953	1	BRACKET, Center, Roller
37	1927557	2	NUT, Hex Flange Whizlock, 5/16-18
38	1668513	1	ROLLER
39	1673106	1	STOP, Belt
40	1655839	1	PULLEY ASSY.
41	960171	1	WASHER, Nylon
42	1678100	1	WASHER, Wave
43	1707335	2	GASKET, Foam
44	1678339	1	BRACKET, Lift
45	1925690	1	CAPSCREW, Hex Hd., 5/16-18 x 3-1/2



Ref. No.	Part No.	Qty.	Description
1	1664004	4	CLIP, Brake Rod
2	1701532	1	SUPPORT, Brake
3	1701535	1	ROD, Brake
4	1930645	2	NUT, Hex Flange, 3/8-16
5	1931277	14	NUT, Hex, Flange Whizlock, 5/16-18
6	1654655	1	STRAP
7	1663223	1	QUADRANT ASSY. (Includes Ref. Nos. 8, 9 & 10)
8	1663222	1	SPRING, Flat
9		1	QUADRANT (See Ref. No. 7)
10	910542	3	RIVET, Tubular, 3/16 x 5/16
11	1668099	1	SUPPORT ASSY., Roller, R.H.
12	1923087	2	PIN, Clevis
13	1918447	4	PIN, Cotter, 3/32 x 3/4
14	108157	2	CLEVIS, Adjusting
15	1653768	1	CLAMP, Adjusting, Wheel Support
16	1655811	1	ROD, Bolt
17	108512	1	PIVOT
18	1668098	1	SUPPORT ASSY., Roller, L.H.
19	1931333	8	BOLT, Carriage, 5/16-18 x 3/4
20	1916950	4	NUT, Hex, Full, 3/8-16
21	1702341	1	SUPPORT ASSY., Mower
22	1702502	2	ROD, Height Adjustment
23	1930645	2	LOCKNUT, Hex, Flange, 3/8-16
24	1674011	1	ARM ASSY., Rocker
25	108717	1	SPACER
26	1923220	2	CARRIAGE BOLT, 3/8-16 x 1-1/4
27	154177	1	SPACER
28	108662	1	GUIDE ASSY., Rod
29	1928804	1	SETSCREW, 1/4-20 x 3/8
30	8191022	1	COLLAR, Set
31	163103	1	SPRING
32	171320	1	ROD, Clutch
33	1657242	1	SPACER
34	924356	2	WASHER
35	1924940	1	WASHER, Plain, 13/32
36	1928957	1	CAPSCREW, Hex Hd., 3/8-16 x 2-3/4
37	1656991	1	ARM, Pivot
38	1923362	1	LOCKNUT, Hex, 5/16-18
39	* 1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
40	* 177649	1	WASHER, Compression
41	* 1701563	1	LEVER, Brake
42	1921971	1	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4
43	1677750	1	LEVER ASSY., Clutch (Incl. Ref. No. 56 Qty. 2)
44	1922755	2	WASHER, Plain
45	1685150	1	PULLEY ASSY.
46	1666294	1	SPACER
47	1677135	1	GUARD, Spring
48	** 1707563	1	ROD, Brake
49	* 1655085	1	SPACER
50	159159	2	SPRING
51	1669232	1	UP-STOP, R.H.
52	1669233	1	UP-STOP, L.H.
53	1919326	4	WASHER, Plain
54	1920564	6	BOLT, Carriage, 5/16-18 x 1-1/4
55	1960074	3	CLIP, Hair Pin
56	1663114	2	BUSHING, Universal
57	1701536	1	ROD, Brake
58	1924856	4	SCREW, Hex Hd., Tapite, 5/16-18 x 1/2
59	** 1924940	1	WASHER, 13/32


*Early Model Blade Brake system.

**Later Model Blade Brake system.



NOTE: Use standard hardware torque spec. chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
1	108505	1	V-BELT, Mower Drive
2	1673574	1	PIN, Rivet
3	1669241	1	CHAIN, Lift 4 Links
4	1935048	1	LOCKNUT, Hex, Flange, 5/16-18
5	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
6	153124	4	RING, Retaining
7	1960020	8	WASHER, Plain, 5/8
8	1668487	4	ROLLER
9	1918448	1	PIN, Cotter, 3/32 x 1
10	1656412	1	LEVER, Control
11	176933	1	GRIP, Handle
12	1668744	1	ROD, P.T.O.
13	1960074	1	CLIP, Hairpin
14	156306	2	PIN
15	176012	3	CLIP, Pin, Safety
16	1918452	2	PIN, Cotter, 1/8 x 1
17	1685243	1	ROD, Lift
18	1920161	1	NUT, Jam, 5/16-18
19	1673575	1	CLEVIS




Ref. No.	Part No.	Qty.	Description
1	770071A	1	CASE, Transaxle
2	778136	1	GEAR, Spur (15 teeth)
2A	778145	1	GEAR, Spur (12 teeth)
3	778126A	1	GEAR, Spur (20 teeth)
4	778127A	1	GEAR, Spur (25 teeth)
5	778129A	1	GEAR, Spur (30 teeth)
6	778121A	1	GEAR, Spur (20 teeth)
7	778123A	1	GEAR, Spur (25 teeth)
8	778124A	1	GEAR, Spur (30 teeth)
9	778122A	1	GEAR, Spur (22 teeth)
10	778128A	1	GEAR, Spur (28 teeth)
11	778146A	1	GEAR, Spur (37 teeth)
12	778137A	1	GEAR, Spur (42 teeth)
13	784266	1	COLLAR, Shift
14	786060	1	SPROCKET (14 teeth)
15	786061	1	SPROCKET (10 teeth)
16	776204	1	SHAFT, Counter
17	778113A	1	BEVEL PINION, Input
18	786074	1	SPACER
19	778138	1	PINION, Output
20	778139	1	GEAR, Output
21	790003	1	DISK, Brake
22	792089A	2	Key
25	788040	1	RING, Retaining
26	780105A	3	BUSHING, Flanged
27	780118A	1	BUSHING, Flanged
28	786062A	1	CHAIN, Roller (No. 41 chain, 22 links)
29	780072	4	WASHER, Thrust
30	780122	2	BEARING, Needle
31	792077	1	BALL, Steel
32	780109	1	WASHER, Thrust
33	792078	1	SCREW, Set, 3/8-16 x 3/8
34	792079	1	SPRING
35	792073	17	SCREW, Hex Hd., Thread Forming, 1/4-20 x 1-1/4
36	780108	5	WASHER, Thrust
37	780121	1	BEARING, Ball
38	780113	1	WASHER, Flat
39	780119	2	BEARING, Ball

NOTE: Refer to I.D. Plate on transaxle to determine model.

Ref. Nos. 41 - 73 are found on following page.

NOTE: See an authorized Tecumseh dealer for parts and service.




Ref. No.	Part No.	Qty.	Description
41	788051	2	SEAL, Square Cut
42	788057	1	SEAL, Square Cut
43	780112	2	BEARING, Needle
44	780114	1	WASHER, Flat
46	788053	2	SEAT, Square Cut
47	772082	1	COVER, Transaxle
48	784290	1	ROD & FORK ASSY., Shift
49	776135	1	SHAFT, Input
50	776184A	1	SHAFT, Brake
51	790007	1	PLATE, Brake Pad
52	790006	2	PAD, Brake
53	786026	2	PIN, Dowel
54	792075	1	LOCKNUT, 5/16-24
55	792076	1	WASHER, Flat
56	790019	1	LEVER, Brake
57	792073	1	SCREW, Hex Hd. Thd. Form., 1/4-20 x 1-1/4
57A	792085	1	SCREW, Hex Hd., Thd. Form., 1/4-20 x 2-1/4
58	790025	1	HOLDER, Brake Pad
59	778053A	1	GEAR ASSY., Differential (Incl. 2 of No. 60)
60	780064	2	BUSHING
60A	780120	1	BUSHING
61	778166	2	GEAR, Bevel
62	778131	2	PINION, Bevel
63	786034	1	PIN, Drive
64	780065	2	WASHER, Thrust
65	792018	2	RING, Retaining
66	792040	1	PIN, Roll
67	780001	2	WASHER, Thrust
68	774645	1	AXLE (15-1/2" long)
69	774644	1	AXLE (12-1/2" long)
70	792035	1	RING, Retaining
71	788069	1	SEAL, Square Cut
72	786066	1	SPACER
73	786086	1	BRACKET

NOTE: Refer to I.D. Plate on transaxle to determine model.

Reference Nos. 1-39 are found on the preceding page.

NOTE: See an authorized Tecumseh dealer for parts and service.




Ref. No.	Part No.	Qty.	Description
1	772107A	1	COVER, Transaxle
2	780086	2	BEARING, Needle
3	770102A	1	CASE, Transaxle
4	776260	1	SHAFT, Counter
5	776219	1	SHAFT & PINION ASSY., Output
6	778139	1	GEAR, Output
7	778136	1	GEAR, Spur (15 teeth)
8	792136	4	KEY, Shifter
9	784352	1	COLLAR, Shifter
10	784354	1	ROD & FORK ASSY., Shift
11	778229	1	GEAR, Bevel (42 teeth)
12	778113A	1	BEVEL PINION, Input
13	778221	2	GEAR, Bevel
14	778068	2	GEAR, Bevel Pinion
15	778260	1	GEAR, Ring
16	786150	1	STRIP, Bearing
17	786139	1	PIN, Drive
18	786102	1	SPACER
20	792077	1	BALL, Steel (5/16" dia.)
21	792078	1	SCREW, Set, 3/8-16 x 3/8
22	792079	1	SPRING
23	788061	2	RING, Seal
25	792073	17	SCREW, Flanged Hex Hd., Threadforming, 1/4-20 x 1-1/4
26	792125	4	RING, Retainer (Pkg. of 2)
27	792035	1	RING, Retainer
28	788040	1	RING, Retainer
29	780072	5	WASHER, Thrust
30	780108	4	WASHER, Thrust
31	780001	4	WASHER
32	792001	1	"O" RING
33	788051	1	SEAL, Square Cut
34	780105A	4	BUSHING, Flanged
35	780118A	2	BUSHING, Flanged
36	790003	1	DISK, Brake
37	790007	1	PLATE, Brake Pad
38	790006	2	PAD, Brake
39	786026	2	PIN, Dowel
40	792076	1	WASHER, Flat
41	790019	1	LEVER, Brake
42	792073	1	SCREW, Flanged Hex Hd., Threadforming, 1/4-20 x 1-1/4
42A	792085	1	SCREW, Flanged Hex Hd., Threadforming, 1/4-20 x 1-1/4

NOTE: Refer to I.D. Plate on transaxle to determine model.

Ref. Nos. 43-150 are found on following page.

NOTE: See an authorized Tecumseh dealer for parts and service.






Ref. No.	Part No.	Qty.	Description
43	792075	1	NUT, Lock, 5/16-24
44	790025	1	HOLDER, Brake Pad
45	786066	1	SPACER
46	786086	1	BRACKET, Brake Lever
47	774927	1	AXLE (11-5/32" Long)
48	774733A	1	AXLE (16-27/32" Long)
49	778191	1	GEAR, Spur (37 teeth)
50	778124A	1	GEAR, Spur (30 teeth)
51	778123A	1	GEAR, Spur (25 teeth)
52	778122A	1	GEAR, Spur (22 teeth)
53	778209	1	GEAR, Spur (19 teeth)
56	778230	1	GEAR, Spur (12 teeth)
57	778126A	1	GEAR, Spur (20 teeth)
58	778127A	1	GEAR, Spur (25 teeth)
59	778128A	1	GEAR, Spur (28 teeth)
60	778163	1	GEAR, Spur (31 teeth)
63	786071	1	SPACER
64	786072	1	SPACER
65	780109	1	WASHER, Thrust
66	776135	1	SHAFT, Input
67	776315A	1	SHAFT, Brake (4-Keyed)
68	786116	1	DISK
69	780051	2	WASHER, Thrust
70	786118	1	SPACER
71	788069	1	SEAL, Square Cut
72	792074	1	PLUG, Hex Hd., 9/16-18 Thread
74	792137	2	FITTING, Lubrication
76	780090	1	WASHER, Thrust
77	788078A	2	RING, Retaining (Pkg. of 2)
81	786062A	1	CHAIN, Roller (No. 41 chain, 22 Links)
82	786061	1	SPROCKET (10 teeth)
83	786124	1	SPROCKET (14 teeth)
90	788067B	1	GREASE (32 oz. Bottle Bentonite grease)
150	510334	1	ADHESIVE (Loctite #515)

NOTE: Refer to I.D. Plate on transaxle to determine model.




Reference Nos. 1-42A are found on the preceding page.

NOTE: See an authorized Tecumseh dealer for parts and service.



Ref. No.	Part No.	Qty.	Description
1	1707724	2	DECAL, 512, 5 Speed
2	1677348	1	DECAL, Hood, R.H.
3	1677347	1	DECAL, Hood, L.H.
4	1707994	1	DECAL, Drive Belt (Used on 1692055)
	1708232	1	DECAL, Drive Belt (Used on 1692096)
5	1702561	1	DECAL, Shift Pattern (Used on 1692055)
	1708276	1	DECAL, Shift Pattern (Used on 1692096)
6	1704910	1	DECAL, Cutting Width, 36"
7	1673431	1	DECAL, Dash L.H. Side
8	1677229	1	DECAL, Dash, R.H. Side
9	1677235	1	DECAL, Seat
10		1	DECAL, Battery (Not Serviced)
11	1704276	1	DECAL, Danger
12		1	DECAL, OPEI (Not Serviced)
13	1704277	1	DECAL, Danger, Deflector in Place
14	1656855	1	DECAL, Mower Height
15	1707651	1	DECAL, B & S 12 HP I/C

**TORQUE SPECIFICATIONS FOR
STANDARD MACHINE HARDWARE
TOLERANCE $\pm 20\%$**

SIZE	SAE GRADE #2 		SAE GRADE #5 		SAE GRADE #8 	
	<u>In./Lbs.</u> Ft./Lbs.	Nm.	<u>In./Lbs.</u> Ft./Lbs.	Nm.	<u>In./Lbs.</u> Ft./Lbs.	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.
5/16-18	11	15.	17	23.1	25	34.
5/16-24	12	16.3	19	25.8	25	34.
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.
7/16-14	30	40.8	50	68.	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.	75	102.	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.
9/16-18	75	102.	120	163.2	170	231.2
5/8-11	90	122.4	150	204.	220	299.2
5/8-18	100	136.	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.
3/4-16	180	244.8	300	408.	420	571.2
7/8-9	140	190.4	400	544.	600	816.
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,224.
1-12	240	326.4	640	870.4	1,000	1,360.

NOTE:

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - For prevailing torque locknuts - use 65% of grade 5 torques.
 - For flange whizlock nuts (and screws) - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings all torque values must meet this specification.

**BOLT HEAD MARKING
S.A.E. GRADE:**



DEUTZ-ALLIS LAWN & GARDEN EQUIPMENT
500 N. Spring St., P.O. Box 997
Port Washington, WI USA 53074-0997

TP-1196
PRINTED IN U.S.A.
©1992 4/92